

FIG. 1




FIG. 2

Sh et 3/ 24




FIG. 3

Sheet 4/24




FIG. 4





FIG. 5

Sheet 6/ 24


60

DRC VALUE	RATE (kbps)	PACKET LENGTH (SLOTS)
0x0	NULL RATE	N/A
0x1	38.4	16
0x2	76.8	8
0x3	153.6	4
0x4	307.2	2
0x5	307.2	4
0x6	614.4	1
0x7	614.4	2
0x8	921.6	2
0x9	1228.8	1
0xa	1228.8	2
0xb	1843.2	1
0xc	2457.6	1
0xd	INVALID	N/A
0xe	INVALID	N/A
0xf	INVALID	N/A

FIG. 6



EARLY TERMINATION OF TRANSMITTING A PHYSICAL LAYER PACKET OF DATA



NORMAL TERMINATION OF TRANSMITTING A PHYSICAL LAYER PACKET OF DATA





FIG. 8

Sheet 9/ 24

FIG. 9



+ 1010 ↗

Sheet 10/ 24




FIG. 10

+




FIG. 11




FIG. 12

Sh et 13/ 24




FIG. 13

+

2000

Sheet 14/24




FIG. 14

+

Sheet 15/24




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20





FIG. 21

Sheet 20/ 24

PAYLOAD SIZE (bits)	EFFECTOVE DATA RATE (kbps)			
	AFTER 1 SUBPACKET	AFTER 2 SUBPACKETS	AFTER 3 SUBPACKETS	AFTER 4 SUBPACKETS
[1] 128	19.2	9.6	6.4	4.8
[2] 256	38.4	19.2	12.8	9.6
[3] 512	76.8	38.4	25.6	19.2
[4] 768	115.2	57.6	38.4	28.2
[5] 1024	153.6	76.8	51.2	38.4
[6] 1536	230.4	115.2	76.8	57.6
[7] 2048	307.2	153.6	102.4	76.8
[8] 3072	460.8	230.4	153.6	115.2
[9] 4096	614.4	307.2	204.8	153.6
[10] 6144	921.6	460.4	307.2	230.4
[11] 8192	1228.8	614.4	409.6	307.2

FIG. 22




FIG. 23




FIG. 24

SEQUENCE
DETECTION WINDOW




FIG. 25

SEQUENCE
DETECTION WINDOW

+

3000

Sheet 23/ 24




FIG. 26

+

Sheet 24/24




FIG. 27